

SHIP CREEK HATCHERY COMPLEX

STOCKING
METHODS



TRUCK



TRUCK/BARGE



TRUCK/LANDING CRAFT



SEMI/BARGE



AERIAL/AG



AG-TRUCK



FLOATPLANE



HERC



AERIAL/HELIO



HUEY



ATV'S



ARGO



BACKPACK





NETBAGS

THRU ICE





4"-6" Air Vents
&
Fresh-Flo
Custom
Lengths

Loading densities for species and lifestages

Species	Lifestage	<4 hours	>5 hours
Rainbow Trout	Catchable	1.5 lbs./gallon	1.0 lb./gallon
	Sub-catchable	1.5 lbs./gallon	1.0 lb./gallon
	Fingerling	1.0 lb./gallon	.75 lb./gallon
King & Coho	Smolt	1.0 lb./gallon	.75 lb./gallon
Arctic Char	Catchable	1.0 lb./gallon	.75 lb./gallon
	Fingerling	.75 lb./gallon	.5 lb./gallon
Arctic Grayling	Catchable	1.0 lb./gallon	.75 lb./gallon
	Fingerling	1.0 lb./gallon	1.0 lb./gallon

Hatchery Fish Tank Specifications

VEHICLE	TANK DESCRIPTION	TOTAL VOLUME	SALT (kg/Tank)	NOFOAM (Tsp/tank)	DISPLACEMENT (kg/mm)	TYPICAL LOAD (mm/Tank)	MAXIMUM LOAD (mm/Tank)
I-H	SS 3-TANKS	3@400 1200G	4.4	4.0	2.7	110	130
FishBus	SS 5-TANKS	5@400 2000G	4.4	4.0	2.6	110	130
Silver Bullet	SS 3-TANKS	3@150 450G	1.2	1.0	1.4	50	75
ROCKET	ALUMINUM 1-TANK	150G	1.6	1.5	NA	NA	NA
ELM-1TON	FIBERGLASS 1-TANK	420G	4.6	4.0	2.2	115	135
ELM TRLR#1	FIBERGLASS 4-TANKS	4@750 30000G	8.3	7.0	4.9	90	140
ELM TRLR#2	FIBERGLASS 6-TANKS	4@500 2@750	5&8.3	5&7	3.1	90or105	135or155